



Assembly Instructions

Buxton 4 Seat Round Dining Table

(Product Codes: 61241053)

**PLEASE RETAIN THIS DOCUMENT ALONG WITH YOUR
PROOF OF PURCHASE FOR FUTURE**


Congratulations on your recent purchase of your beautiful Hartman furniture. We hope it brings you countless special moments with friends and family for many years to come.

Please follow these simple steps to build your furniture. We also have a very useful video available online to assist with the assembly, please visit www.hartmanuk.com


TOP TIPS

- Please read these instructions carefully before assembly, for further assistance please view our assembly video online for an easy step by step demonstration.
- Aluminium is a soft metal and over tightening may strip the thread or break the part, please loosely assembly your furniture before tightening to secure.
- Please do not use power tools, please only use the tools provided in the bolt pack, though a flat head screwdriver will be needed which is not provided.
- Please allow 1 hour for assembly.
- This furniture can be assembled with **1** person; however, you may need someone to assist you when turning the furniture over into position.

PARTS LIST

Components					Fixings				
Parts List	Parts Picture	Description	Qty	Part No.	Parts List	Parts Picture	Description	Qty	Part No.
A		Table Top	1	61241053A	D		M8x40 Allthread Bolt	4	1000162
B		Centre Square	1	61241053B	E		M8 Flat Washer	12	1001162
C		Table Leg	4	61241053C	F		M8 Lock Washer	12	1002162
					G		M8 Nut	4	1003162
					H		M8 Nut Cap	4	1004162
					I		M8x40 Bolt	8	1050162
					J		Allen Key	1	1051162
					K		Screw in Feet	4	1005162

STEP 1 & 2: LEG ASSEMBLY



STEP 1: Loosely attach the centre square (B) to the 4 legs (C). Secure these using bolt (I) big flat washers (E), and big lock washers (F), DO NOT TIGHTEN THE NUTS AT THIS STAGE.



STEP 2: Turn the table top (A) upside down on a soft, clean surface. Using flat head screwdriver screw the bolts (D) into the table top.

STEP 3: TABLE LEG TABLE TOP ASSEMBLY



STEP 3: Attach the legs (C) to the table top at the points where the bolts (D) have been placed. Then slide M8 flat washers (E), M8 lock washers (F), and nuts (G) on to the bolt. Tighten all bolts, taking care not to over tighten as this can cause thread damage. Place nut caps (H) on all visible nuts (G).

STEP 4: TURN TABLE OVER



STEP 4: Turn the table on its legs, you can now use the table.